RSC-G-032-A-Annex3 (SC)

Checklist for evaluation of a **Project Safety Case**

D 11		20.27.2244
Prepared by:		28.07.2014
	Mary Molloy	
	, ,	
Reviewed by:	Maik Wuttke	28.07.2014



1 Introduction

This checklist will be employed by the RSC when evaluating Project Safety Cases in association with PIS Projects according to IOD RSA. A Safety Case shall document and evidence, that a suitable level of safety has been achieved by the Project, in order to perform Placing in Service. In order to avoid repetition, documentary evidence is expected to be annexed or referenced to a Safety Case. Any such Annexes and References shall be considered to be part of the Safety Case.

2 Elaboration of an Application Specific Project Safety Case

When applying for APS stages 4, 5 or 6 the applicant must provide at least a current Application Specific Project Safety Case.

Where a Generic Product Safety Case or a Generic Application Safety Case has been developed for products used at the Project, this may be referred to within the Application Specific Safety Case as appropriate in order to avoid repetitive work or assessments.

Any Project Safety Case shall follow the structure provided below and shall include all sections listed. If any section is not relevant for a given project, that section shall still be provided as headline and it shall give a (brief) explanation why this chapter is not relevant.

Each Section shall provide relevant information addressing the Requirements and References given in the list.

The Application Specific Project Safety Case must have been prepared by the RO under the scope of a RO SMS which has been approved by the RSC in accordance with the RSA 2005.

The Safety Case must comply with current best practice. The application of EN 50126-1, EN 50126-2, EN 50128, EN 50129 is considered to represent current best practice.

Each chapter of the Application Specific Project Safety Case has to be prepared, detailing any constraints, dependencies, assumptions and caveats.

3 Internal Review Report

The applicant for APS must arrange for an internal (or external) review of each Safety Case revision against this Checklist by an expert in the field of SMS. This review must cover completeness and plausibility of content of the Safety Case.

RSC-G-032-A-Annex3 Page 1 of 11

4 RSC evaluation of Application Specific Project Safety Case

The RSC must evaluate the Project for which the applicant is applying for an APIS against the requirements of IOD the RSA. The Application Specific Project Safety Case will be used by the RSC as significant element to form an opinion, whether all requirements relating to APIS have been satisfied.

The attached list contains the minimum set of requirements. Any RO may decide to elaborate on these, if their SMS requires more or higher requirements. Where an RO decides to elaborate, on these requirements the main chapter headings of the checklist should be retained.

The provision of an Application Specific Project Safety Case is also considered to satisfy the requirements of RSA 42+43 for providing a New Works Assessment or a New Rolling Stock Assessment.

Note1: In addition to this Checklist, other requirements may also be applicable, arising from the application of EN 50126-1, EN 50126-2, EN 50128, EN 50129, EN50159-1/-2, or the requirements of a certified RO SMS.

Note2: The list may include reference to the SMS of a particular RO where these have provided the related information for reference.

Note3: Where the requirements to fulfil any item on the checklist are adequately detailed in the current version of the Project Safety Plan, and that Safety Plan contains current valid information pertaining to that requirement, it is sufficient to reference the relevant section of the current version of the Project Safety Plan, so as to avoid duplication. In such cases, the References must clearly state achievements of the Project (and not intended future or intended activities).

5 Checklist for Safety Case

No	Section	Requirement	References
0	Document Control	>Provide title, document identification number, revision, revision history, author, organisation and signatures. >Provide list of referenced documents. (It is highly recommended to assign each referenced document a unique identifier to be used throughout the Project Safety Case (and ideally throughout any other Project documentation). The Project may decide to keep a List of References as a separate document.)	- RSC-CL-001 - Yellow Book, Volume 2, Appendix B.2
1	Introduction		
1.1	Project introduction	Provide high level introduction to Project.	
1.2	Type of APIS sought	Define Type of APIS sought at this project acc. to RSC-G-032, i.e. - RSA-APS-NW - RSA-APS-NRS	- RSC-G-009

RSC-G-032-A-Annex3 Page 2 of 11

No	Section	Requirement	References
1.3	Level of Safety Case	Describe the level of Safety Case(s) presented – Possible levels include: - Application Specific Project Safety Case,(ASPSC) - ASPSC, supported by Generic Product Safety Case (GPSC) and / or Generic Application Safety Case (GASP) - GASC, supported by GPSC (for later use as basis of an ASPSC for future projects) (Only the ASPSC level will be able to support an APIS.)	
1.4	Related Phase of Project Life-Cycle	Indentify Phase of Project Lifecycle and RSC APS Stage to which this Safety Case revision is related.	
1.5	Identify Type of APIS Project.	-New build/ -Upgrade / -Renewal	
2	Description of the Change	Note 1: Provide appropriate detail to identify significant aspects, including boundaries and interfaces between the Change and the Railway System. Note 2: 'Change' means all Subsystems and Parameters (including their interfaces) affected by the PIS Project.	
2.1	Definition/ Identification of Change	Precisely define/ identify the Subsystem or Parts thereof to which this Project Safety Case refers, including (as relevant) unique type identification, positions on the network, chainage, version numbers, modification status, etc. (This should follow the typical industry approaches, used for precisely identifying products/ equipment/ installations/ etc.) (You may refer to the current SP.)	
2.2	Scope of Change	Define scope of Change (as caused by the project to the Railway System) in physical, functional, legal, etc. boundaries and define related interfaces to the Railway Network. (This can often be abbreviated, if supporting descriptive references are available as e.g. tender-specifications, contract-specifications, product descriptions, etc.)	- EN 50126-1, Section 6.2.3.4, b. - RSC-G-032
2.3	Subsystems and Parameters (incl. Interfaces) affected by Change	(You may refer to the current SP.) Identify systematically all Subsystems and all Parameters (including their interfaces) affected by the Change. This must at least include all affected Parameters, which are listed in RSC Guidance for the related Subsystems. If further Parameters are considered to be relevant by the project SMS experts, these must also be identified and added. All Parameters shall be systematically listed to enable ease of referencing and assessment. (They shall be listed within the Project specific Safety- & Compliance- Matrix.)	
2.4	Functional/ Technical Description of Change	Provide information on objectives, purposes and functions / technical design solutions for all Subsystems, Parameters (incl. their Interfaces). (May be done by referencing appropriate Functional/ Technical descriptive Documentation/ Drawings/ Calculations/ Simulations/ etc. within a Project specific Safety- & Compliance- Matrix.)	- EN 50126-1, Section 6.2.3.4,c; - EN 50126-2; Section 2.1.2; - Yellow Book, Chapter 14.

RSC-G-032-A-Annex3 Page 3 of 11

Conditions of Change (May be done by referencing appropriate Functional/ Technical descriptive Documentation/ Drawings/ Application Conditions/ etc. relating to environmental conditions within a Project specific Safety- & Compliance- Matrix. All Environmental Conditions shall be placed with all Parameters which they are affecting.) 3	No	Section	Requirement	References
Technical Organisational interfaces defined by descriptive Documentation/ Drawings/ Application Conditions/ etc. relating to Interfaces within the Project specific Safety-& Compliance- Matrix. All Interfaces shall be placed with all Parameters which they are affecting.) 2.6	2.5	Description of	interfaces. Note: This must cover also the interface to the RO Safety Management Systems and all related internal and external interfaces.	
Conditions of Change (May be done by referencing appropriate Functional/ Technical descriptive Documentation/ Drawings/ Application Conditions/ etc. relating to environmental conditions within a Project specific Safety- & Compliance- Matrix. All Environmental Conditions shall be placed with all Parameters which they are affecting.) 3			Technical/ Organisational interfaces defined by descriptive Documentation/ Drawings/ Application Conditions/ etc. relating to Interfaces within the Project specific Safety- & Compliance- Matrix. All Interfaces shall be placed with all	
(May be done by referencing appropriate Functional/ Technical descriptive Documentation/ Drawings/ Application Conditions/ etc. relating to environmental conditions within a Project specific Safety- & Compliance- Matrix. All Environmental Conditions shall be placed with all Parameters which they are affecting.) 3.1 Roles and Responsibilities, Organisational chart Define details, roles and responsibilities for all bodies undertaking SMS related tasks within the project lifecycle and their required and demonstrated competencies to perform those roles / undertake those tasks. Define relationships between bodies undertaking tasks. (You may refer to the current SP.) 3.2 Personnel independence in tasks (You may refer to the current SP.) Ensure and demonstrate that an appropriate degree of (personnel) independence is provided for any review, V&V, auditing, assessment, etc. tasks. (Note: This shall generally be related with the extent of the risk and in any case it must comply with codes of practice, legal and statutory requirements.) (This may be done in connection the organisational chart developed under 3.1 above.) (You may refer to the current SP.) 3.4 Documentation Management Management Define a project related documentation management process. This must include a documentation retention policy. All documentation relating to PIS of the Change must be retained at least for the service live of the Change plus Syears (This shall support any re-introduction of equipment into service and any potential incident or accident investigations.) Any relevant documentation must be handed to a future owner, in case of transfer of ownership. Additional legal requirements for retention times may apply. (You may refer to existing RO document management	2.6	Conditions of		- Yellow Book, Chapter 14.
Define details, roles and responsibilities for all bodies undertaking SMS related tasks within the project lifecycle and their required and demonstrated competencies to perform those roles / undertake those tasks. Define relationships between bodies undertaking tasks. Personnel independence in tasks Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, vev. Personnel independence is provided for any review, vev. Personnel independ		Change	Technical descriptive Documentation/ Drawings/ Application Conditions/ etc. relating to environmental conditions within a Project specific Safety- & Compliance- Matrix. All Environmental Conditions shall be placed with all Parameters	
Define details, roles and responsibilities for all bodies undertaking SMS related tasks within the project lifecycle and their required and demonstrated competencies to perform those roles / undertake those tasks. Define relationships between bodies undertaking tasks. Personnel independence in tasks Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, V&V, auditing, assessment, etc. tasks. Personnel independence is provided for any review, vev. Personnel independence is provided for any review, vev. Personnel independ	2	Droinet		
Roles and Responsibilities, Organisational chart Define details, roles and responsibilities for all bodies undertaking SMS related tasks within the project lifecycle and their required and demonstrated competencies to perform those roles / undertake those tasks. Define relationships between bodies undertaking tasks. Section 6.2.3. d and 0; -EN 50126-1 Sections 3.26 3.40 and 5.3.8 (You may refer to the current SP.)	3	<u> </u>		
Cyou may refer to the current SP.) 3.2 Personnel independence in tasks Ensure and demonstrate that an appropriate degree of (personnel) independence is provided for any review, V&V, auditing, assessment, etc. tasks. EN 50126-1 - EN 50126-2 - EN 50128, Fig. 5; - EN 50129, legal and statutory requirements.) Fig. 5; - EN 50129, Fig. 6;	3.1	Roles and Responsibilities, Organisational	undertaking SMS related tasks within the project lifecycle and their required and demonstrated competencies to perform those roles / undertake those tasks. Define relationships	- EN 50126-1, Sections 3.26,
independence in tasks (personnel) independence is provided for any review, V&V, auditing, assessment, etc. tasks. (Note: This shall generally be related with the extent of the risk and in any case it must comply with codes of practice, legal and statutory requirements.) (This may be done in connection the organisational chart developed under 3.1 above.) (You may refer to the current SP.) Define a project related documentation management process. This must include a documentation retention policy. All documentation relating to PIS of the Change must be retained at least for the service live of the Change plus 5 years (This shall support any re-introduction of equipment into service and any potential incident or accident investigations.) Any relevant documentation must be handed to a future owner, in case of transfer of ownership. Additional legal requirements for retention times may apply. (You may refer to existing RO document management				·
(This may be done in connection the organisational chart developed under 3.1 above.) (You may refer to the current SP.) Define a project related documentation management process. This must include a documentation retention policy. All documentation relating to PIS of the Change must be retained at least for the service live of the Change plus Syears (This shall support any re-introduction of equipment into service and any potential incident or accident investigations.) Any relevant documentation must be handed to a future owner, in case of transfer of ownership. Additional legal requirements for retention times may apply. (You may refer to existing RO document management	3.2	independence in	(personnel) independence is provided for any review, V&V, auditing, assessment, etc. tasks. (Note: This shall generally be related with the extent of the risk and in any case it must comply with codes of practice,	- EN 50126-1; - EN 50126-2; - EN 50128, Fig. 5; - EN 50129,
developed under 3.1 above.) (You may refer to the current SP.) Define a project related documentation management process. This must include a documentation retention policy. All documentation relating to PIS of the Change must be retained at least for the service live of the Change plus 5years (This shall support any re-introduction of equipment into service and any potential incident or accident investigations.) Any relevant documentation must be handed to a future owner, in case of transfer of ownership. Additional legal requirements for retention times may apply. (You may refer to existing RO document management			legal and statutory requirements.)	Fig. 6;
Define a project related documentation management process. This must include a documentation retention policy. All documentation relating to PIS of the Change must be retained at least for the service live of the Change plus 5years (This shall support any re-introduction of equipment into service and any potential incident or accident investigations.) Any relevant documentation must be handed to a future owner, in case of transfer of ownership. Additional legal requirements for retention times may apply. (You may refer to existing RO document management				- Yellow Book,
Management process. This must include a documentation retention policy. All documentation relating to PIS of the Change must be retained at least for the service live of the Change plus 5years (This shall support any re-introduction of equipment into service and any potential incident or accident investigations.) Any relevant documentation must be handed to a future owner, in case of transfer of ownership. Additional legal requirements for retention times may apply. (You may refer to existing RO document management				
	3.4		process. This must include a documentation retention policy. All documentation relating to PIS of the Change must be retained at least for the service live of the Change plus 5years (This shall support any re-introduction of equipment into service and any potential incident or accident investigations.) Any relevant documentation must be handed to a future owner, in case of transfer of ownership. Additional legal requirements for retention times may apply.	

RSC-G-032-A-Annex3 Page 4 of 11

No	Section	Requirement	References
4	Project Quality Management Report	Note1: If no formal QMS is established, the Project must otherwise ensure that the activities below are performed in a consistent manner. Note2: The Project QMS activities must enable the Project to design, manufacture and commission the change according to the Safety- and Compliance Requirements. In case of series production, the QMS must ensure that all produced items are identical to the approved Type. Note 3: You may refer to current version of the SP. Describe and justify any deviations from the planned approach, Elaborate on any items that were not adequately defined in the SP. Document the output of the Quality management activities undertaken.	- EN 50126-1, Section 6.2.3.4, b.
4.1	Project QMS Provisions	The Project QMS provisions must enable Design/ Manufacturing/ Series Production/ Commissioning/ Operations and Maintenance of the Change. (Refer to employed QM-Manual(s) and any QMS- Certification(s). Include information relating to relevant	- EN 50126-1, Section 5.2; - RSC-G-032; - Yellow Book, Chapter 10.
4.2	Project QMS Procedures	suppliers.) Identify employed QMS procedures as relevant for the PIS Project on following tasks:	EN 50129 5.2
4.2.1		Management of project organisational structure (Roles and Responsibilities, Organisational chart) (This may be provided in connection with item 3.1.)	
4.2.2		Management of Project requirements specification (at least Compliance requirements/ Safety requirements).	
4.2.3		(This may be done in connection with the SCM.) • Management of design V&V, type testing, inspection,	
		design reviews, Assessment, auditing, etc.	
4.2.4		Management of procurement, supplier qualifications, supplier monitoring. Ensure and demonstrate that suppliers/ sub-contractors which participate at design, manufacture, commissioning, testing, operation and maintenance of any Safety or Compliance- Project Parameters are identified from the stage of procurement, that their qualification is appropriate and that they are regularly monitored. (You may refer to existing procurement policies and procedures and relevant supplier selection criteria or refer to relevant sections of procurement contracts / specifications. Refer to auditing/monitoring arrangements that will be implemented for suppliers of Safety- or Compliance related goods and services) • Manufacturing/ installation/ commissioning	- Yellow Book, Chapter 8.
4.2.6		Series Inspection and testing	
4.2.7		Product identification/ traceability/ configuration management/ change control (HW& SW)	
4.2.8		Handling/ storage/ packaging/ delivery (where related to Safety/ Compliance)	
4.2.9		Non-conformance handling and corrective actions	
4.2.10		Definition and management of application conditions for operation/ maintenance/ decommissioning/ disposal	
4.3	Specific QMS provisions for welding on Rolling Stock	Identify employed welding and related NDT provisions for Rolling Stock.	

RSC-G-032-A-Annex3 Page 5 of 11

No	Section	Requirement	References
4.3.1		Employment of EN 15085 family and ISO9712 as baseline	
4.3.2		 Provide project related organisation of certified Welding Engineer, Welding Supervision, Welders, NDT-Expert and NDT-Technicians. 	
4.3.3		Document that welding design has been documented and authorised by certified Welding Engineer and manufactured by certified welders.	
4.3.4		• Document that any NDT has been defined by certified NDT- Expert and performed by certified NDT-Technician.	
4.4	Specific QMS provisions for welding of Subsystems other than Rolling Stock	Identify employed welding and related NDT for Subsystems other than Rolling Stock.:	
4.4.1	war remigere	Document specific baseline standard(s) for any welding or NDT performed as part of the project.	
4.4.2		Document any Training/ Certification for Welding Engineers, Welders, NDT-Experts, NDT-Technicians participating at the Project	
4.5	Specific QMS provisions for other safety related bonding activities.	Identify achievement of requirements for any other safety related bonding provisions (other than welding)	
4.5.1		Document any Training/ Certification/ Product Inspection requirements	
4.6	QMS Auditing	Document auditing of all Project QMS activities as defined above.	
5	Project Safety Management Report	Note 1: Provide appropriate detail to identify significant aspects, including interfaces and boundaries. Note 2: Provide high level information in the Safety Case. Large volumes of detailed evidence and supporting documentation need not be reproduced, provided precise references are given to such documents. Note.3: 'Change' means the Subsystems and Parameters including their Interfaces affected by the PIS Project.	
5.1	Policy and Strategy to achieve safety	Refer to the policy and strategy as defined at a generic level by a certified/authorised RO SMS and adopt for Project. Define on project-by-project basis a suite of appropriate references for the performance of SMS activities. (List i.e. the applicable standards, legislation, SMS provisions, industry practice / guidelines etc adopted to achieve safety) (You may refer to the current SP.)	- EN 50126-1, Section 6.2.3.4,a; - EN 50126-1 (in combination with EN 50126- 2, EN 50128, EN 50129, EN 50159-1, EN 50159-2); - Railway Safety Act 2005; - RSC Guidelines; (- for information: Yellow Book, Chapter 11).

RSC-G-032-A-Annex3 Page 6 of 11

No	Section	Requirement	References
5.2	Level of	Provide judgement on Significance of Change.	
	Significance	(Any project that requires APIS is automatically deemed	
		Significant. In this case `further analysis / judgment on	
		Significance is not deemed necessary.)	
		(Var. many refer to the gurrent CD)	
5.3	Project Life-Cycle	(You may refer to the current SP.) Define project life-cycle phases and show the relationship	- EN 50126-1,
		with basic life-cycle approach to EN 50126 and APIS stages to RSC-G-009, and stages required by an applicable certified/authorised RU/IM SMS.	Section 5.2;
		(You may refer to the current SP.)	
5.4	Project Schedule	Provide Project Schedule, referencing APIS stages.	
5.5	Intended Service Life of Change	Define Intended Service Life of Change.	
5.6	Safety tasks	Describe the system life-cycle related safety tasks undertaken within each lifecycle phase along with any relationships between them.	- EN 50126-1, Sections 3.41 (+Fig.9), 5.2, 5.3.4 and 6
		Describe the range of safety tasks and tools actually employed for each life-cycle phase.	(incl.6.2.3.4,d);
		Justify the adequacy of tasks chosen for the application under consideration.	
		(You may refer to the HR or other documentation where the actual application and output of the safety tasks performed has been documented.)	
5.7	System Requirements Specification	Refer to documentation providing System Requirements Specification (at least Safety- & Compliance-Requirements)	
		(You may refer to SCM which brings together all Safety- & Compliance-Requirements, from all the listed sources.)	
5.7.1		Tender Specification	
5.7.2		Contract Specification	
5.7.3		Legislative Requirements	
5.7.4		Network Access/ Compatibility Requirements	
5.7.5		Other sources (best practice, state of art, etc.)	
5.8	Combined Project	Describe how Safety Requirements and Compliance	
	Safety and Compliance	Requirements were identified by the Project. Refer to Combined Project Safety and Compliance	
	Requirements	Requirements Specification in SCM.	
	Specification		<u> </u>
5.9	Hazard	Provide approaches used for hazard identification (e.g.	V-II 5 '
	identification and analysis	creative, empirical and/ or structured). Note: Make use of past experience and lessons learnt or	- Yellow Book (7 stage
	anarysis	known incidents/accidents at similar systems nationally and	process).
		internationally.	,
		Identify for each approach of hazard identification and	
5.9.1		analyses the process and format followedStructured approach: Reference RSC Parameter Lists and	- Yellow Book,
0.0.1		other structured checklists for identification of safety related functions and associated hazards.	Appendix C.
		(It is highly recommended that the Hazard Record should generally be structured following the systematic order of the RSC Subsystem Parameter Lists in order to enable efficient	
		assessment of completeness.)	
1	1		1

RSC-G-032-A-Annex3 Page 7 of 11

No	Section	Requirement	References
5.9.2		-Empirical approach: Reference Lessons Learned/ past experience/ published accident reports for identification of hazards. (Detailed information on this may be incorporated within the	- EN 50126-1, Fig. 9, Stage 2;
5.9.3		Hazard Record.) -Creative approach: Reference Expert workshops for	
0.0.0		identification of hazards. (Detailed information on this may be incorporated within the	-
		Hazard Record.)	
5.9.4	5	Refer to hazards in Project Hazard Record	
5.10	Risk assessment and on-going risk management	Identify performed risk assessment and risk management processes up to the current lifecycle phase of the project.	- EN 50126-1, Section 4.6;
5.11	Risk tolerability criteria	Provide risk tolerability criteria. Provide any employed risk matrix, qualitative and/ or quantitative.	- EN 50126-2, Table 5 THR/SIL
		(This may be incorporated within the current SP and/or the current Hazard Record.)	relationship; - Yellow Book,
			Chapter 17; - PD R009-004 for additional information.
5.12	Project Safety- & Compliance- Requirements Review	Provide reports on assessment for adequacy of Safety- & Compliance- Requirements during the whole lifecycle of the system. (The overall assessment for adequacy of Safety- & Compliance requirements may in parts to be performed and documented in Reports by V&V, ISA, IPR, IA, Project Safety Management Review, Internal Project Review,)	- EN 50126-1, Fig.9, Sections 2 and 6, Fig 10 and Fig. 11; - Yellow Book, Chapter 17.
		(These Reports or relevant sections thereof may be referenced within the Project Safety- & Compliance- Matrix.)	
5.13	System Design Evidence	Provide reference to suite of generated design evidence. This shall provide all functional/ technical descriptions, drawings and parts lists, calculations, simulations, test procedures, test reports, etc. which have been used to demonstrate achievement of the Safety and Compliance Requirements. The suite of evidence must be systematically organised to enable easy referencing and retrieving of the information contained. (It is highly recommended that this is done within a systematically organised Project Safety- & Compliance-Matrix. The systematic order shall follow that of the RSC lists for Subsystems and Parameters.)	

RSC-G-032-A-Annex3 Page 8 of 11

No	Section	Requirement	References
5.14	Verification and Validation	Evidence V&V of all Safety and Compliance related Subsystem- and Parameter-Functions, their combinations and internal and external interfaces.	- EN 50126-1, Fig.9, Fig. 10 and Fig. 11, and Section
		(This may be incorporated within the Project Safety- & Compliance- Matrix.)	6.9; - Yellow Book, Chapters 11, 12 and 18,
5.15	Safety Assessment, Compliance	Document assessment of realisation of Safety- and Compliance-Requirements (tools to EN 50126-1, Annex B).	- EN 50126-1, Sections 6.9 and 6.10, and
	Assessment	(The overall assessment may include assessment in parts be performed and documented in Reports by V&V, ISA, IPR, IA, Project Safety Manager Review, and Internal Project Review.) (These Reports or relevant sections thereof may be referenced within the Project Safety- & Compliance- Matrix.)	Fig. 10; - Yellow Book, Chapters 13 and 18;
5.16	Safety Audit	Document Auditing undertaken for compliance of the management process against the Audit Plan.	- EN 50126-1, Section 6.12; - EN 50128;
		(This may reference auditing in parts be performed and documented in Reports by ISA, IPR, IA, Project Safety Manager Review, Internal Project Review.)	- EN 50129; - Yellow Book, Chapter 13.
5.17	Safety & Compliance Monitoring Plan	Define monitoring process and plan to analyse Operation and Maintenance performance to ensure that realized Safety & Compliance is in conformance with requirements.	- EN 50126-1, Section 6.11, Phases B, A.
		(Refer to the applicable provisions of a certified RO SMS that are applicable to the subsystems under assessment, or any new provisions that had been developed.)	
5.18	Provisions for SIL Assessment	Document activities for setting and assessing SIL.	- EN 50129, Annex E,
		This will predominantly relate to functions of the Change which are containing safety-critical electronic/ software elements.	in combination with - EN 50126; - EN 50128.
		(This may be incorporated within the Project Safety- & Compliance- Matrix.)	211 00 120.
5.19	Safety Approval Process of Change	Identify the process for Safety Approval of Change to the Railway System.	- EN 50126-1, Section 6.10; - EN 50129;
		Refer to type of APS and safety approval processes of the certified RO SMS.	- RSC-G-009; - RSA 2005
6	Safety related	Note: Provide details of safety related deliverables for each	
6.1	deliverables SMS	lifecycle phase. The Project SMS must produce an Application Specific	- EN 50126,
0.1	Documentation	Project Safety Case and related documented objective evidence supporting the ASPSC This is expected to include as a minimum the following documentation:	Fig. 9;
6.1.1		- Project Safety Plan	- RSC Guidance;
		Refer to current version of Project Safety Plan. (To include all aspects of RSC-G-009-Annex1. Shall have	
		been updated at least in accordance with RSC-G-032-Annex1 (2). Further updating as required.)	

RSC-G-032-A-Annex3 Page 9 of 11

No	Section	Requirement	References
6.1.2		- Project Hazard Record	
		Refer to current version of Project Hazard Record.	
		(To include all aspects of RSC-G-032-Annex2. Shall have been updated for the current Project stage.)	
6.1.3		- Supporting Safety Cases	
		(Generic Product Safety Case; Generic Application Safety Case and or other applicable safety cases).	
6.1.4		- Documented Evidence of achievement of Safety and Compliance Requirements	
		Systematic documentation evidencing achievement of Safety and Compliance Requirements. Identify the process to manage these.	
		(This may be referenced within the Project Safety- & Compliance Matrix)	
6.2	Configuration Management for Safety related Tangible	Identify at least all safety related tangible products/ hardware for which configuration management must be established. (Type-ID, Version, Serial Numbers, etc.)	- EN 50126, Fig.9;
	Products/ Hardware	This shall include all items which over the lifetime of the product may require traceability or batch identification. Typical industry provisions shall apply.	
6.3	Configuration Management for Safety related Intangible	Define configuration management process at least for all safety related intangible products/ Electronic components or Software (Type, Version, etc.)	- EN 50128.
	products/ Electronic components/ Software	Shall include all items which over the lifetime of the product may require traceability or identification. Typical industry provisions shall apply.	
7	Technical Project Safety Report on Safety Qualification Testing		
7.1	Requirements for Safety Qualification Testing	Provide Requirements for Safety Qualification Testing as derived from the Safety- and Compliance Requirements-Specification and the Hazard Record. They shall include at least those Aspects listed below.	EN17025
		In all cases test procedures and test reports shall be provided. These shall in principle follow EN17025.	
		(This may be referenced within the Safety- & Compliance-Matrix)	
7.1.2	Assurance of correct Operation	Documented evidence of correct operation of all safety and compliance related functions.	
		(Typically performed as part of Type-/ Series-/ Commissioning Testing)	
7.1.3	Effects of faults on Operation	Documented evidence of acceptable reaction of safety and compliance related functions under simulated fault conditions.	
		(Typically performed as part of Type-/ Series-/ Commissioning Testing)	

RSC-G-032-A-Annex3 Page 10 of 11

Section	Requirement	References
Operation with external influences	Documented evidence of acceptable reaction of safety and compliance related functions under environmental limit conditions and safe degradation under out of range conditions.	
	(Typically performed as part of Type-/ Series-/ Commissioning Testing)	
Safety- and Compliance- Related Application Conditions	Conditions, as derived from the Safety- and Compliance-Requirements and the Hazard Record. (This may refer to the relevant sections of the Project HR	
Operations		
Maintenance		
Decommissioning and Disposal	Identify Application Conditions for Decommissioning and Disposal.	
Related Safety Cases	Provide references and document compliance with any other Safety Cases on which this Project Safety Case depends. Document the interrelationship with any related Safety Cases.	- EN 50126-1, Sections 3.41 (+Fig.9), 5.2, 5.3.4 and 6 (incl.6.2.3.4,d);
	Document achieved compliance between Project Safety Plan and other related Safety Management Activities/ other Safety Cases.	
Application Conditions from related Safety Cases	Demonstrate that all the Safety- and Compliance-Related application conditions specified in each of the related Safety Cases are either fulfilled in this Safety Case, or are carried forward into the Safety- and Compliance-Related Application Conditions of this Safety Case.	
Conclusion	This part shall summarise the evidence presented in the previous parts of the Safety Case, and argue based on the evidence provided, that the Change is adequately safe for PIS and meets all relevant Safety and Compliance Requirements, subject to fulfilment of the specified Application Conditions.	
	Operation with external influences Safety- and Compliance-Related Application Conditions Operations Maintenance Decommissioning and Disposal Related Safety Cases Related Safety Cases Application Conditions from related Safety	Operation with external influences Operation with external influences Operations and safe degradation under environmental limit conditions. (Typically performed as part of Type-/ Series-/ Commissioning Testing) Safety- and Compliance-Related Application Conditions, as derived from the Safety- and Compliance-Requirements and the Hazard Record. Operations Maintenance Decommissioning and Disposal Related Safety Cases Related Safety Cases Related Safety Cases Application Conditions Document the interrelationship with any related Safety Cases. Document achieved compliance between Project Safety Plan and other related Safety Management Activities/ other Safety Cases Demonstrate that all the Safety- and Compliance-Related application conditions for the Project Safety Cases. Document the interrelationship with any related Safety Cases. Document the interrelationship with any related Safety Cases. Document achieved compliance between Project Safety Plan and other related Safety Management Activities/ other Safety Cases. Demonstrate that all the Safety- and Compliance-Related application conditions specified in each of the related Safety Cases are either fulfilled in this Safety Case, or are carried forward into the Safety- and Compliance-Related Application Conditions of this Safety Case, and argue based on the evidence provided, that the Change is adequately safe for PlS and meets all relevant Safety and Compliance Requirements, subject to fulfillment of the specified

RSC-G-032-A-Annex3 Page 11 of 11